L Number	Hits	Search Text	DB	Time stamp
1	5	@ad < "20001121" and ((transaction adj log) same tree) and	USPAT;	2004/03/23 09:22
		database	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	91	(logical near3 state) and (physical near3 state) and database	USPĀT;	2004/03/21 12:29
		, , ,	US-PGPUB;	
		·	ЕРО, ЈРО,	
			DERWENT;	
			IBM_TDB	
-	0	((logical near3 state) and (physical near3 state) and database) and	USPAT;	2004/03/18 16:18
		(record near3 before near3 after near3 (updat\$3 or modif\$3))	US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
-	1	(((logical near3 state) and (physical near3 state) and database) and	USPAT;	2004/03/18 16:18
		(record near3(updat\$3 or modif\$3))) and ((parent or root) with	US-PGPUB;	
		position)	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	1	((logical near3 state) and (physical near3 state) and database) and	USPAT;	2004/03/18 16:12
		((parent or root) with position)	US-PGPUB;	
		>	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	2207	logical and physical and (state with database)	USPAT;	2004/03/18 16:13
			US-PGPUB;	
i			ЕРО; ЛРО;	
		•	DERWENT;	
	22	(legical and aboving 1 and (state with databases) ) and (see all 1 and 2	IBM_TDB	2004/02/10 16 12
-	23	(logical and physical and (state with database)) and (record near3 before near3 after near3 (updat\$3 or modif\$3))	USPAT;	2004/03/18 16:13
		before hears after hears (updatas of hiodinas))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	23	((logical and physical and (state with database)) and (record near3	USPAT;	2004/03/18 16:13
	20	before near3 after near3 (updat\$3 or modif\$3))) and (record	US-PGPUB;	2004/03/10 10:13
		near3(updat\$3 or modif\$3))	ЕРО; ЛРО;	
		mount (up and to the mount of ))	DERWENT;	
			IBM_TDB	
-	0	(((logical and physical and (state with database)) and (record near3	USPAT;	2004/03/18 16:14
		before near3 after near3 (updat\$3 or modif\$3))) and (record	US-PGPUB;	
		near3(updat\$3 or modif\$3))) and ((parent or root) with position)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	9	((logical near3 state) and (physical near3 state) and database ) and	USPĀT;	2004/03/18 16:36
		(record near3(updat\$3 or modif\$3))	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
.			IBM_TDB	
-	47	database and (record near3 before near3 after near3 (updat\$3 or	USPAT;	2004/03/18 16:18
		modif\$3))	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
	_		IBM_TDB	
-	0	(database and (record near3 before near3 after near3 (updat\$3 or	USPAT;	2004/03/18 16:21
1.		modif\$3))) and ((parent or root) with position)	US-PGPUB;	
	ĺ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	1364	database and ((parent or root) with position)	USPAT;	2004/03/18 16:40
-	1304	database and ((parent of root) with position)	US-PGPUB;	2004/03/16 10.40
			ЕРО; ЛРО;	•
	1		DERWENT;	
			IBM_TDB	
_	94	(database and ((parent or root) with position)) and (record	USPAT;	2004/03/18 16:22
		near3(updat\$3 or modif\$3))	US-PGPUB;	200 110 10 10 12
		(upunts or mounts))	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
_	1	(((database and ((parent or root) with position)) and (record	USPAT;	2004/03/18 16:23
		near3(updat\$3 or modif\$3))) and ((parent or root) with dependent))	US-PGPUB;	
		and tree	ЕРО; ЈРО;	
			DERWENT;	
		·	IBM_TDB	
-	10	((database and ((parent or root) with position)) and (record	USPĀT;	2004/03/18 16:30
		near3(updat\$3 or modif\$3))) and ((parent or root) with dependent)	US-PGPUB;	
	Ĭ	· · · · · · · · · · · · · · · · · · ·	ЕРО; ЈРО;	
İ			DERWENT;	
			IBM_TDB	
-	14	((database and ((parent or root) with position)) and (record	USPAT;	2004/03/18 16:30
		near3(updat\$3 or modif\$3))) and ((chunk\$3 or transaction) with	US-PGPUB;	
		data)	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	1	(((database and ((parent or root) with position)) and (record	USPAT;	2004/03/18 16:41
		near3(updat\$3 or modif\$3))) and ((chunk\$3 or transaction) with	US-PGPUB;	
		data)) and ((parent or root) with dependent)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	10	((logical near3 state) and (physical near3 state) and database) and	USPAT;	2004/03/18 16:42
		(record near3(updat\$3 or modif\$3 or add\$3 or delet\$3))	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
1_	609	database and tree and ((parent or root) with position)	IBM_TDB USPAT;	2004/03/18 16:41
-	007	database and tree and ((parent of 100t) with position)	US-PGPUB;	2004/03/16 10.41
			ЕРО; ЛРО;	
İ			DERWENT;	
1			IBM_TDB	
_	22	(database and tree and ((parent or root) with position)) and ((parent	USPAT;	2004/03/19 14:58
		or root) with dependent)	US-PGPUB;	
1		<b>,</b> , ,	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	1	((database and tree and ((parent or root) with position)) and ((parent	USPĀT;	2004/03/18 16:42
		or root) with dependent)) and (record near3(updat\$3 or modif\$3 or	US-PGPUB;	
		add\$3 or delet\$3))	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	3	((database and tree and ((parent or root) with position)) and ((parent	USPAT;	2004/03/18 16:42
		or root) with dependent)) and (record same(updat\$3 or modif\$3 or	US-PGPUB;	
		add\$3 or delet\$3))	ЕРО; ЈРО;	
			DERWENT;	
	.		IBM_TDB	2004/02/2016
-	1	(((database and tree and ((parent or root) with position)) and	USPAT;	2004/03/18 16:44
		((parent or root) with dependent)) and (record same (updat\$3 or	US-PGPUB;	
		modif\$3 or add\$3 or delet\$3))) and (append\$2 near3 data)	EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

-	3	((database and tree and ((parent or root) with position)) and ((parent	USPAT;	2004/03/18 16:44
		or root) with dependent)) and (record same (updat\$3 or modif\$3 or	US-PGPUB;	
		add\$3 or delet\$3))	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	274	relational and ((parent or root) with position)	USPAT;	2004/03/19 14:38
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	58	(relational and ((parent or root) with position)) and (record with	USPĀT;	2004/03/19 12:30
		(updat\$3 or modif\$3))	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	ЕРО, ЛРО;	
			DERWENT;	
			IBM_TDB	
1_	7	((relational and ((parent or root) with position)) and (record with	USPAT;	2004/03/19 12:31
		(updat\$3 or modif\$3))) and (version near3 control)	US-PGPUB;	200 (/03/19 12:31
		(updates of modifes))) and (version hears condor)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	7	(((relational and ((parent or root) with position)) and (record with	USPAT;	2004/03/19 12:35
-	· /	((relational and ((parent of 100t) with position)) and (record with (updat\$3 or modif\$3))) and (version near3 control)) and (undo or		2004/03/19 12:33
		1 ' - ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	US-PGPUB;	
		redo)	ЕРО; ЛРО;	
			DERWENT;	
	20	//1-4'11 //44\\'41'4'\\1 /1'41	IBM_TDB	2004/02/10 12 25
-	26	((relational and ((parent or root) with position)) and (record with	USPAT;	2004/03/19 12:35
		(updat\$3 or modif\$3))) and (append\$3 with data)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
	_		IBM_TDB	
	7	(((relational and ((parent or root) with position)) and (record with	USPAT;	2004/03/19 13:51
		(updat\$3 or modif\$3))) and (append\$3 with data)) and (undo or	US-PGPUB;	
		redo)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(((relational and ((parent or root) with position)) and (record with	USPAT;	2004/03/19 13:52
		(updat\$3 or modif\$3 or delet\$3 or add\$3))) and (append\$3 with	US-PGPUB;	
		data)) and (undo or redo)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	9	((((relational and ((parent or root) with position)) and (record with	USPAT;	2004/03/21 12:29
		(updat\$3 or modif\$3 or delet\$3 or add\$3))) and (append\$3 with	US-PGPUB;	
		data)) and (undo or redo)) and version	ЕРО; ЛРО;	
	1		DERWENT;	
			IBM_TDB	
-	4	(database and tree and ((parent or root) with position)) and ((parent	USPAT;	2004/03/19 15:01
		or root) with dependent) and (data with append\$3)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
_	1364	(database and ((parent or root) with position))	USPAT;	2004/03/19 15:01
		((partition))	US-PGPUB;	250 11 051 17 15.01
			ЕРО; ЛРО;	
	1		DERWENT;	
_	122	((database and ((narent or root) with position)) and (state no)	IBM_TDB	2004/02/10 15:01
-	122	((database and ((parent or root) with position))) and (state near3	USPAT;	2004/03/19 15:01
		data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L		IBM_TDB	

-	17	(((database and ((parent or root) with position))) and (state near3 data)) and (version near3 (data or file of information))	USPAT; US-PGPUB;	2004/03/21 12:34
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	3	(((((database and ((parent or root) with position))) and (state near3	USPAT;	2004/03/21 13:35
		data)) and (version near3 (data or file of information))) and (data	US-PGPUB;	
		with append\$3)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	66	relational and (new near3 (data or file or information) near3	USPAT;	2004/03/21 12:31
		append\$3)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	7	(relational and (new near3 (data or file or information) near3	USPAT;	2004/03/21 13:12
	1	append\$3)) and ((old or previous) near3 (data or file or information)	US-PGPUB;	
		near3 (modif\$3 or upadt\$3 or delet\$3))	ЕРО; ЛРО;	
	1		DERWENT;	
	,	((relational and (now near) (data on file on information) n?	IBM_TDB	2004/03/21 12:25
-	] 1	((relational and (new near3 (data or file or information) near3 append\$3)) and (version near3 (data or file of information))) and	USPAT; US-PGPUB;	2004/03/21 13:35
	1	((parent or root) with position)	EPO; JPO;	
	l	((parent of toot) with position)	DERWENT;	
			IBM_TDB	
_	24	(relational and (new near3 (data or file or information) near3	USPAT;	2004/03/21 13:36
į	1	append\$3)) and (version near3 (data or file or information))	US-PGPUB;	200 1103/21 13:50
			ЕРО; ЛРО;	
	1		DERWENT;	
			IBM_TDB	
-	8	((relational and (new near3 (data or file or information) near3	USPĀT;	2004/03/21 13:39
		append\$3)) and (version near3 (data or file or information))) and	US-PGPUB;	
		(parent or root)	ЕРО; ЈРО;	
	1		DERWENT;	
		(((1); 1, 1); 2(1); (1); (2); (2)	IBM_TDB	2004/02/01 12 25
-	5	(((relational and (new near3 (data or file or information) near3	USPAT;	2004/03/21 13:37
		append\$3)) and (version near3 (data or file or information))) and (parent or root)) and position	US-PGPUB;	
		(parent of root)) and position	EPO; JPO; DERWENT;	
			IBM_TDB	
_	3	(((relational and (new near3 (data or file or information) near3	USPAT;	2004/03/21 13:54
		append\$3)) and (version near3 (data or file or information))) and	US-PGPUB;	
		(parent or root)) not ((((relational and (new near3 (data or file or	EPO; JPO;	
		information) near3 append\$3)) and (version near3 (data or file or	DERWENT;	
	Ì	information))) and (parent or root)) and position)	IBM_TDB	
-	170	(version with record with (append\$3 or add\$3 or combin\$3))	USPAT;	2004/03/22 09:47
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
	4.0	//	IBM_TDB	0004/00/00 00 :=
-	48	((version with record with (append\$3 or add\$3 or combin\$3))) and	USPAT;	2004/03/22 09:47
		relational	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	1	(((version with record with (append\$3 or add\$3 or combin\$3))) and	USPAT;	2004/03/22 10:13
	'	relational) and ((parent or root) with position)	US-PGPUB;	2004/03/22 10.13
		Totalional) and ((parent of tool) with position)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L	1			L

-	2771	transaction near3 log	USPAT;	2004/03/22 10:13
			US-PGPUB;	
•			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	86	@pd < "20001108" and (transaction adj log) and tree and database	USPAT;	2004/03/22 10:15
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
	5	@pd < "20001108" and ((transaction adj log) same tree) and	USPAT;	2004/03/23 09:21
		database	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	